

To: Mankowski, Matthew[mankowski.matthew@epa.gov]
From: Nightingale, Elizabeth
Sent: Tue 9/12/2017 6:01:31 PM
Subject: Fwd: Wolverine site; Rockford, MI - do not release

Sent from my iPhone

Begin forwarded message:

From: "Muniz, Nuria" <Muniz.Nuria@epa.gov>
Date: September 12, 2017 at 1:09:39 PM EDT
To: "Nightingale, Elizabeth" <nightingale.elizabeth@epa.gov>
Subject: FW: Wolverine site; Rockford, MI -

Do not release

From: Johnson, Mark
Sent: Thursday, August 31, 2017 10:30 AM
To: Muniz, Nuria <Muniz.Nuria@epa.gov>
Cc: Boone, Denise <boone.denise@epa.gov>
Subject: RE: Wolverine site; Rockford, MI

Nuria

Ex. 5 - Deliberative Process

Mark

Mark D. Johnson, PhD, DABT

Regional Director/Toxicologist

Agency for Toxic Substances and Disease Registry (ATSDR)

77 W. Jackson Blvd.

Chicago, IL 60604

Office: 312-353-3436

Email: mdjohnson@cdc.gov

From: Muniz, Nuria

Sent: Thursday, August 31, 2017 10:22 AM

To: Johnson, Mark <johnson.mark@epa.gov>

Cc: Boone, Denise <boone.denise@epa.gov>

Subject: RE: Wolverine site; Rockford, MI

Thanks.. I heard from DEQ that is not the river banks but the tannery dumpsite.

Ex. 5 - Deliberative Process

We do not have the data from DEQ yet.

From: Johnson, Mark

Sent: Thursday, August 31, 2017 10:19 AM

To: Muniz, Nuria <Muniz.Nuria@epa.gov>

Subject: RE: Wolverine site; Rockford, MI

Nuria

Some updated information:

1) MLive story from yesterday, Aug. 30

http://www.mlive.com/news/index.ssf/2017/08/wolverine_pfas_house_st_dump.html

2) Local Health Dept. is sponsoring a public meeting on Sept. 12 regarding the Wolverine investigation of private wells. MDHHS and MDEQ will likely be attending.

Mark

Mark D. Johnson, PhD, DABT

Regional Director/Toxicologist

Agency for Toxic Substances and Disease Registry (ATSDR)

77 W. Jackson Blvd.

Chicago, IL 60604

Office: 312-353-3436

Email: mdjohnson@cdc.gov

From: Johnson, Mark

Sent: Tuesday, August 29, 2017 3:17 PM

To: Muniz, Nuria <Muniz.Nuria@epa.gov>

Subject: Wolverine site; Rockford, MI

Nuria

Here is what we have heard recently about the results of PFAS sampling of private wells in the Rockford, MI area:

- 7 out of 19 private wells tested exceed the EPA Lifetime Health Advisory level (70 ppt PFOA + PFOS)
- One home has the highest PFOA+PFOS drinking water well in Michigan at 27,600 ppt PFOA+PFOS (36,258 ppt total PFAS)
- MDEQ is re-sampling wells
- PRP has provided bottled water and is setting up certified filters

I am also attaching a recent news article on the site.

Mark

Mark D. Johnson, PhD, DABT

Regional Director/Toxicologist

Agency for Toxic Substances and Disease Registry (ATSDR)

77 W. Jackson Blvd.

Chicago, IL 60604

Office: 312-353-3436

Email: mdjohnson@cdc.gov